

Gorilla®



Air & Multipurpose
General Purpose
Heavy Duty
Push-on

Chemical Transfer

Cleaning Equipment

Food

Dry Transfer
Liquid Transfer
Washdown

Marine

Material Handling

Abrasives
Bulk Transfer
Cement & Concrete

Mining

Petroleum

Aircraft Fueling
Dispensing
Dock
Rig Supply
Transfer Discharge
Transfer S&D

Specialty

Steam

Vacuum

Water

Discharge
Suction & Discharge
Washdown
Garden

Welding

Coupling Systems

Equipment

Appendix

Product Specifications

Application

A premium-quality, multipurpose industrial hose with a wide range of applications in factories, construction, agriculture, quarries, mines, railroads, the oil and gas industry and shipbuilding. All sizes are crush-resistant and rated at 500 psi (3.4 MPa) maximum working pressure. The premium Carbryn™ cover offers the most superior abrasion resistance of air and multipurpose hoses. Non-conductive, minimum electrical resistance greater than 1 megohm per inch of hose length at 1000 Volts DC.

Construction

> Tube
Nitrile synthetic rubber, ARPM Class A (High Oil Resistance)

> Cover
Yellow Carbryn™ synthetic rubber, ARPM Class A (High Oil Resistance) MSHA approved

> Reinforcement
Spiral aramid yarn, 2" is braided synthetic yarn

Temperature Range

-20°F to 210°F (-29°C to 99°C)

Packaging

90% one-piece reels up to 1"
3/16" - 3/4" - 500' reels, maximum 3 pieces, 50' increments
1" - 450' reels, maximum 3 pieces, 50' increments
1 1/4" - 250'-400' reels, maximum 3 pieces, 50' increments
1 1/2" - 150'-300' reels, maximum 3 pieces, 50' increments
2" - 200' carton, maximum 3 pieces, 50' increments
Coupled assemblies available: 1/4", 3/8", 1/2", and 3/4".

Branding

Example: Gorilla® by Continental ContiTech 1" (25.4 mm)
500 psi Made in USA Flame Resistant USMSHA No. 2G-IC-14C/39

Couplings

Refer to the ContiTech Industrial Hose Assembly Manual for crimp specifications.



Coupled assemblies available.

Order Codes

569-035
536-446 (2')

Gorilla®

SAP #	ID	Nom. OD		Max. WP		Weight		
		in.	mm	in.	mm	psi	MPa	lb./ft.
20026239	1/4	6.4	0.61	15.5	500	3.45	0.17	0.25
20026256	3/8	9.5	0.73	18.6	500	3.45	0.22	0.33
20026273	1/2	12.7	0.89	22.6	500	3.45	0.28	0.42
20026289	5/8	15.9	1.06	26.9	500	3.45	0.35	0.52
20026290	3/4	19.1	1.19	30.2	500	3.45	0.41	0.61
20026304	1	25.4	1.50	37.8	500	3.45	0.58	0.86
20026306	1 1/4	31.8	1.77	45.6	500	3.45	0.79	1.18
20026309	1 1/2	38.1	2.04	51.8	500	3.45	0.86	1.27
20023183	2	50.8	2.62	66.6	500	3.45	1.22	1.82

Hose design ratio (burst pressure) 4:1.

ContiTech

Contact

ContiTech AG
NAFTA Headquarters
703 S. Cleveland Massillon Rd
Fairlawn, OH 44333-3023 U.S.A.
Phone 1-800-235-4632

Canada

1-888-275-4397
FAX 1-888-464-4397

Mexico

1-800-439-7373
FAX 1-800-062-0918

Germany

+49 (0)511 938 02
mailservice@contitech.de

www.contitech.us

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates. Copyright © 2014 ContiTech AG. All rights reserved. For complete information go to: www.contitech.de/discl_en

Continental 
The Future in Motion

20781783

Continental 
The Future in Motion



Gorilla[®] Hose

Industrial Hose
Performance Warranty

www.contitech.us

ContiTech

How It Works

We are so confident the Continental ContiTech Gorilla® Hose will outperform the multipurpose hose you are using now that we will give you double your money back if Gorilla does not do the job.

Simply let us know that you have a multipurpose hose test application in which you want to try Gorilla Hose. Give us some details about your application, what brand and type you are currently using, and how much service life you have been getting.

We will deliver the required test length of Gorilla Hose and invoice you at the normal selling price.

Gorilla will outlast the multipurpose hose it replaced, or we will give you back double what you were invoiced.

No catch. No strings. No gimmicks. It is just our way of demonstrating Gorilla will perform to your satisfaction - and our warranty frees you from any concerns in trying our product.



Why We Can Make This Offer

Simple. We have better product to sell and we stand behind it.

We use premium-grade materials, innovations in design and engineering and advanced production techniques to produce the most consistent quality in industrial hose.

This is your assurance that Continental ContiTech hose provides the best value of any multipurpose hose in the industry.

Do not take our word for it. Try Gorilla® Hose on the job and see for yourself. You cannot lose.

How You Collect If You Prove Us Wrong

In the unlikely event that the Continental ContiTech Gorilla Hose does not last longer than the multipurpose hose you have been using, simply return the used Gorilla hose to us.

We will give you back double your invoice price in return. It is that easy.

Continental 

ContiTech