


**Continental**   
The Future in Motion

Industrial Fluid Solutions



## **Aquahammer® Dual Air/Water Hose**

Helps Eliminate Dangerous  
Worksite Conditions



## Continental Aquahammer® Dual Air/Water Hose

**Continental Aquahammer® Dual Air/Water Hose** makes a clean sweep when it comes to suppressing hazardous conditions on the jobsite. Its twin-lined design uses a wet suppression system to keep dangerous silica dust particles out of the air when hammering through concrete. And, it's OSHA-compliant to meet the highest safety standards. Looking for a hose that leaves its competition in the dust? Continental. We Have an Answer for That.

- › **Application**  
Aquahammer Dual Air/Water Jackhammer Factory Assemblies are crimped with high quality universal couples and MNPT.
- › **Construction**  
Tube: Black EPDM, ARPM Class C (Limited Oil Resistance)
- › **Cover**  
Black EPDM, ARPM Class C (Limited Oil Resistance)
- › **Reinforcement**  
Spiral Synthetic Yarn  
Temperature Range:  
-40°F to 210°F  
(-40°C to 99°C)
- › **Design Factor**  
4:1
- › **Branding**  
Continental Aquahammer  
200 PSI W.P MADE IN USA
- › **Packaging**  
50' Cut, Coiled and Tied Assemblies
- › **Couplings**  
Contact fitting manufacturer for proper fitting recommendation & coupling procedure
- › **Order Code**  
569-690 703
- › **Key Markets**  
Construction  
General Manufacturing  
Rental Yards

SAP Number	Color	ID		OD		MAX WP		Assembly Weight	
		in	mm	in	mm	psi	MPa	lb/ft	kg/m
21011268	Green	3/4	19.1	1.13	28.8	200	1.38	0.538	0.785
	Blue	3/8	9.6	0.657	16.7	200	1.38		

## Aquahammer® Silica Dust Water Spray Retro-Fit Kit

**Continental's Retro-Fit Kit** extends the water supply down the side of the jackhammer for more accurate and efficient suppression of silica dust.

### THE KIT CONTAINS

PART NUMBER: 21054808

- › 1 Y-hose
- › 1 Extension hose
- › 1 Shutoff valve
- › 1 Clamp
- › 4 Zip ties
- › 2 Nozzle tips

### AQUAHAMMER® BUNDLE KITS ARE AVAILABLE

PART NUMBER: 21067676

**This kit combines our Aquahammer® dual air/water hose with the Aquahammer® retro-fit kit for even greater suppression of environmental hazards.**

## Aquahammer® Makes Employers Fully Compliant with OSHA Respirable Crystalline Silica Dust Regulations

The OSHA regulation states “the employer shall ensure that no employee is exposed to an airborne concentration of respirable crystalline silica...” Non-compliance results in steep fines per violation. Using Aquahammer® makes you fully compliant with the regulation. It helps promote environmentally friendly and safe work conditions by supplying a continuous stream/spray of water at the point of impact.



## Industrial Fluid Solutions

Market segment

Industrial Hose

Contact

Continental

703 S. Cleveland Massillon Road

Fairlawn, OH 44333-3023 U.S.A.

1-800-235-4632

[www.continental-industry.com](http://www.continental-industry.com)

Your local contact

[www.contitech.de/contactlocator](http://www.contitech.de/contactlocator)

Canada

1-888-275-4397

Mexico

1-800-439-7373



# Aquahammer

*The Greener Jackhammer Hose*

Hammering through concrete is no joke. It's dangerous, and it exposes you to harmful dust and debris. Additionally, the governing bodies are constantly looking for ways to implement safer working conditions. The all-new Aquahammer is a twin-lined jackhammer hose engineered to lower dust and debris buildup and to be better for the environment as well.

TYPE	HOSE ID	WORKING PRESSURE	FITTING CONFIGURATIONS	COLOR
Air Hose	3/4"	200 psi	Universal Fitting	Blue/Green
Water Hose	3/8"	200 psi	Rigid Male 3/8" x 3/8" NPT	Blue/Green



OSHA Regulation Number: 29 CFR 1926. 1153 for Respirable Crystalline Silica

Copyright © 2018 ContiTech. All rights reserved. For complete information go to: [www.contitech.de/disc/en](http://www.contitech.de/disc/en)

# ContiTech AquaHammer

**Application:** AquaHammer Dual Air/Water Jackhammer Factory Assemblies are crimped with high-quality universal couplers and MNPT. Designed for silica dust suppression and to help contractors meet OSHA Respirable Crystalline Silica Standard.

**Construction:**

**Tube:** Black EPDM, ARPM Class C (Limited Oil Resistance)

**Cover:** Black EPDM, ARPM Class C (Limited Oil Resistance)

**Reinforcement:** Spiral Synthetic Yarn

**Temperature Range:** -40°F to 210°F (-40°C to 99°C)

**Design Factor:** 4:1


**Branding:** Continental ContiTech AquaHammer 200 PSI W.P MADE IN USA

**Packaging:** 50' Cut Coiled and Tied Assemblies

**Couplings:** Contact fitting manufacturer for proper fitting recommendation & coupling procedure.

**Order Code:** 569-690

SAP Number	COLOR	ID		OD		MAX WP		ASSEMBLY WEIGHT	
		in	mm	in	mm	psi	MPa	lb/ft	kg/m
21011268	Green	3/4	19.1	1.13	28.8	200	1.38	0.538	0.785
	Blue	3/8	9.6	0.657	16.7	200	1.38		



**Continental**   
The Future in Motion




# Aquahammer® Silica Dust Water Spray Retro-Fit Kit

## THIS KIT CONTAINS

- |   |                |
|---|----------------|
| 1 | Y-Hose         |
| 1 | Extension Hose |
| 1 | Shutoff Valve  |
| 1 | Clamp          |
| 4 | Zip Ties       |
| 2 | Nozzle Tips    |



MADE IN  
USA

For California Residents:  WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

21011268-3/19